Generalization of france

REGISTERED No. D-28

The Gazette



# of Andia

unigly A3

# EXTRAORDINARY

PUBLISHED BY AUTHORITY

# NEW DELHI, MONDAY, OCTOBER 3, 1949

#### GOVERNMENT OF INDIA

# MINISTRY OF INDUSTRY AND SUPPLY

#### NOTIFICATION

New Delhi, the Erd October 1949

No I-(IV)/1.—Drugs.—In exercise of the powers conferred by Section 3 of the Drugs (Control) Ordinance 1949 (Ordinance No. 26 of 1949), the Control Government is pleased to declare the drugs specified and described in the Schodule to be the drugs to which this Ordinance shall apply.

#### ORDFR

CRDFRED that a copy of the above Notification be communicated to all Provincial Governments and Administrations, all Ministries of the Government of India, Cabinet Secretariat, Prime Minister's Secretariat, the Indian Trade Commission ors, all Indian Embassies the High Commissioner for India, London, His Majesty's Trade Commissioner in India, all Chambers of Commerce and Associations, the Director of Commercial Intelligence and Statistics, Calcutta, the High Commissioner for India in Pakistan, Karachi, the High Commissioner for Paki tan in India, New Dollyi, and the Secretary, Indian Tariff Board.

ORDERED also that it be published in the Gazette of India.

S. BHOOTHALINGAM.

Joint Secretary to the Government of India ( 1877 )

# 1878

# err

#### SCHEDULE

DRUGS arranged according to manufacturer or main importer with un it.

(J.R. Geigy S. A. Basle.)

Irgafen Tablets  $20 \times 0.5$  g. Irgafen Tablets  $250 \times 0.5$  g. Irgafen Tablets  $1000 \times 0.5$  g.

The Anglo-French Drug Co. (Estu.) Ltd.

Ascorbie Acid 50 mg.-

Bottle of 50 Tablets. Bottle of 100 Tablets. Bottle of 500 Tablets. Bottle of 1000 Tablets.

Befos Forte Tablets (Thiamine HC1.5 mgm.)--

Bottle of 25 Tablets. Bottle of 100 Tablets. Bottle of 500 Tablets. Bottle of 1000 Tablets.

Befor Forte Tablets (Thian me HC1. 10 mgm.)-

Bottle of 25 Tablets. Bottle of 100 Tablets. Bottle of 500 Tablets. Bottle of 1000 Tablets.

Befos Forte Tablets (Thiamine HC1, 20 mgm.)--

Bottle of 25 Tablets, Bottle of 100 Tablets, Bottle of 500 Tablets, Bottle of 1000 Tablets,

Flavit Tablets 3 mgm.—
Bottles of 100 Tablets.

Niacin 50 n gm.—

Bottles of 50 Tablets.
Bottles of 500 Tablets.

Niacinam ide 50 mgm.— Bottles of 50 Tablets. Bottles of 500 Tablets.

Niacinamide 100 mgm.— Bottles of 50 Tablets. Bottles of 500 Tablets.

Novafol Brand Folic Acid— Bottles of 25 Tablets.

Bottles of 100 Tablets. Bottles of 1000 Tablets.

Sulfadiazine Tablets 0 5 gm.-

Bottles of 20 Tablets. Bottles of 50 Tablets. Bottles of 100 Tablets. Bottles of 1000 Tablets.

Sulfaguanadine Tablets 0.5 g n --

Bottles of 20 Tablets.
Bottles of 50 Tablets.
B of tles of 1000 Tablets.

# The Anglo-French Drug Co. (Estn.) Ltd.—contd.

### Theamine Hydrochloride Solution-

Vial of 5cc. 50 mg. per cc. Vial of 5cc. 100 mg. per cc.

#### British Drug Houses (India) Ltd.

## Avoleum (Vitamin A)-

Liquid standardised to contain 30,000 i.u. per grm.—

Bottle of 10 c.c.

Bottle of 25 c.c.

Bottle of 100 o.c.

Bottle of 500 c.c.

#### Capsules standardised to contain 4,500 i.u.—

Bottle of  $50 \times 3$  minim capsules.

Bottle of  $500 \times 3$  minim capsules.

Bottle of  $1000 \times 3$  minim capsules.

#### Insulin A.B.-

20 units per e.e.—Vial of 5 e.e.

20 units per c.c. —Vial of 10 c.c.

40 units per c.c.—Vial of 5 c.c.

40 units per c.c.-Vial of 10 c.c.

80 units per c.c.—Vial of 5 c.c. 80 units per c.c.—Vial of 10 c.c.

#### Protomine Zine Insulin A.B-

40 units per c.c.—Vial of 5 c.c.

40 units per c.c.—Vial of 10 c.c. 80 units per c.c.—Vial of 5 c.c.

Globin Insulin (with Zine) A.B.—

40 units per c.c.—Vial of 5 c.c. 80 units per c.c.—Vial of 5 c.c.

### Psnicillin Proparations :

#### Penicillin Lozenges B.D.H.—

Containing 500 i.u. per lozenge-

Tube of 20.

Bottle of 50.

Containing 1,000 i.u. per lozenge

Tube of 20.

Bottle of 50.

#### Penicullin ()intment B.D.H.—

Containing 500 i.u. per grm.

Container of 25 gr.n.

Containing 1,000 i.u. per grin. Container of 25 grm.

### Penicillin Eye Ointment B.D.H.—

Containing 1,000 i.u. per grm. Container of 3.5 grm.

# Penicillm (Oil-Wax) Suspension B.D.H. -

(Arachis Oil)—Oily Injection of Penicillin B.P.—

Containing 125,000 i.u. per e.c.

Villa of 10 c.c.

# Phytoferol Capsules (Vitamin E. B.D.H.)—

# Capsules containing 6 mg.—

Bottle of 25 capsules.

Bottle of 100 capsules.

Bottle of 500 capsules.

Bottle of 1000 capsules.



# British Drug Houses (India) Ltd .-- contd.

## Capsules containing 30 mg.--

Bottle of 25 capsules.

Bottle of 100 capsules. Bottle of 500 capsules.

# Prokayvit Oral (Vitamin K) (Menaphthone B.D.H.)-

Ampoules containing 5 mg. per c.c.

Box of  $6 \times 1$  e.e.

Box of  $50 \times 1$  e.e.

Box of 100 × 1 e.c.

# Prokayvit Oral (Vitamin K) (Acotomenaphthone B.D.H.)—

Tablets containing 10-mg.—

Bottle of 25 Tablets.

Bottle of 100 Tablets.

Bottle of 500 Tablets.

#### Quinine Bihydro Chloride-

Bottles of  $100 \times 2$  gr. tablets. Bottles of  $100 \times 5$  gr. tablets.

#### Quinine Bisulphate—

Bottles of  $100 \times 2$  gr. tablets. Bottles of  $1000 \times 2$  gr. tablets. Bottles of  $100 \times 5$  gr. tablets. Bottles of  $100 \times 5$  gr. tablets.

#### Sulphadiazine B.D.H.—

Tablets containing 0.5 grm.-

Bottle of 25. Bottle of 100.

Bottle of 500.

#### Sulphaguanidine B.D.H. .

Tablets each containing 0.5 gm.-

Bottle of 100.

Bottle of 250.

Bottle of 500.

Bottle of 1000.

### Sulphanilan.ide B.D.H ---

Tablets each containing 0.5 grm.-

Bottle of 25.

Bottle of 100.

Bottle of 500.

Bottle of 1000.

Tin of 5000.

### Vitamin Bl B.D.H.-

#### Ampoules containing 5 mg. per c.c.-

Box of  $6 \times 1$  e.e.

Box of  $12 \times 1$  e.e.

Box of  $50 \times 1$  c.c.

Box of 100 × 1 c.c.

# Ampoules containing 25 mg, per c.c.—

Box of 3×1 e.e.

Box of 12×1 c.c.

Box of  $50 \times 1$  c.c.

## Ampoules containing 100 mg. in 2 c.c. -

Box of  $3 \times 2$  c.c.

Box of  $12 \times 2$  c.c.

1881

```
Tablets containing 1 mg. per tablet .--
          Bottle of 25.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
Tablete containing 3 mg. per tablet.—
          Bottle of 25.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
Tablets containing 10 mg. per tablet.--
          Bottle of 25.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
Tablets containing 25 mg. per tablet.—
Bottle of 25,
          Bottle of 100.
          Bottle of 500.
Vitamin C.B. D.H.— (Ascorbic Acid).—
Tablets of Ascorbic Acid B.P.-
     Each containing 25 ing. (500 i.u.) —
          Bottle of 20.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
    Each containing 50 mg. (1000 i.u.)—
          Bottle of 20.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
    Each containing 200 mg. (4000 i.u.) --
          Bottle of 20.
          Bottle of 100.
          Bottle of 500.
          Bottle of 1000.
For parenteral administration-
     Ampoules containing the equivalent of 100 mg- (2000 i.u.) - .
          Box of 6 \times 2 c.e.
          Box of 50 × 2 c.c.
          Box of 100 \times 2 c.c.
     Ampoules containing the equivalent of 500 mg- (10,000 i.u.)—
          Box of 3 \times 5 e.c.
          Box ot 25 × 5 c.c.
          Box of 50 \times 5 e.e.
Radiostol (Calciferol B.D.H., - Vitamin D2),-
    Solution (3.000 i.u. per grm.)-
          Bottle of 10 c.c.
          Bottle of 25 c c.
          Bottle of 100 c.c.
          Bottle of 500 c c.
    Solutions for administration of large doses .-
       100,000 i.u. per grm.---
          Bottle of 30 c.c.
          Bottle of 500 c.c.
       200,000 i.u. per grm. Bottle of 30 c.c.
          Bottle of 500 c.c.
Pellets (containing 3,000 i.u.)---
          Bottle of 25.
          Bottle of 50.
          Bottle of 500.
          Bottle of 1000.
```

```
62b
```

```
Capsules (containing 50,000 i.u.)-
     Box of 50,
                                        Burroughs Wellcome & Co.
'Wellcome' Sera-
  Diphtheria Antitoxin-
     2,000 units.
     4,000 unite.
      8,000 units.
      10,000 units.
      20,000 units.
Refined Tetanus Antitoxin, --
   for Prophylaxis.
      3,000 unita.
   for Treatment
      20,000 units
Quinine,-
   'Tabloid' Quinine Bisulphate.-
     gr. 2 25.
     gr. 2 100.
gr. 5 25.
     gr. 5 100.
   'Tabloid' Qunime Dihydrochlor,-
      gr. 2 25.
      gr. 2 100.
      gr. 5 25.
      gr. 8 100.
 'Wellcome' Injection of Quinine Dihydrochlor.-
      gr.5 12.
      gr.5 100.
      gr.10 12
      gr. 10 100
 Sulpha Drugs.—
'Tabloid' Sulphadiazine. -
      0 ·5 gm. 25.
      0 ·5 gm. 100.
0 ·5 gm. 500
   'Tabloid' Sulphaguanidine .---
      0 · 5 gm. 100.
 0.5 gm. 500.
Thyroid Gland----
   "Tabloid' Thyroid (Dry Thyroid B.P.).—
gr. \(\frac{1}{2}\) 100.
gr. \(\frac{1}{2}\) 100.
gr. \(\frac{1}{2}\) 100.
      gr. 11 100.
      gr. 2 100.
    'Tabloid' Thyroid Gland (Standardised) Original Formula.-
      gr. 1 100.
      gr. 2 100.
gr. 21 100.
 Pituitary Extract-
    'Infundin' Pituitary Posterior Lobe) Extract-
       10 units per c.c. 0 .5 c.c.-
                 100-
       10 units per c.c. 1 c.c.—
                  25
                  100
```

```
Insulin-
  'Wellcome' Insulin, Unmodified- --
       20 units per c.c. 5 cc
      40 units per c.c. 5 cc
80 units per c.c. 5 cc
  'Wellcome' 1. Globin (with zine)---
       40 units per c.c. 5 ce
  'Wellcome' I. Protamine Zine --
      40 units per c.c. 5 cc
      80 units per c.c 5 cc
  'Wellcome' I. Globin (with Zine)-
      80 units per c.c. 5 oc
Vitanin - A--
  Capsules-
    25's
    100'8
  Ampoules-
    1co (6)
Vitamin-B1-
  Tablets 3 mgm.—
    25's
    100's
  Tablets 10 mgm---
    25's
    100'e
  Ampoules 25 mgm-
    1 cc (6)
Vitamin-B2---
  Tablets 3 mgm--
    25's
  Ampoules I mgm--
    2 cc (6).
Vitamin-B6 -
  Tablets 10 mgm- -
     25 в.
  Ampoules 50 mgm--
     1 cc (6)
Vitamin · C-
  Tablets 50 mgm---
     50's.
     100'.
  Tablets 200 mgm--
     25's
     100's
  Ampoules 100 mgm---
     1 ce (8)
Vitamin ~ E (E-G-Oil)---
  Capanles-
     25'e
     100's
Nicotinie Acid
   Tablets 50 mgm--
     25'6
     100's
     1000'#
```

Ampoules 50 mgm--2 cc (6)



```
Nicotinamide ....
   Tablets 50 mgm----
     25^{\circ} \times
     100'a
   Ampoules 50 mgm-
     Leo(6)
Vitamin-K-
  Tablets 10 mgm--
     25'н
     100 %
  Ampoules 5 mgm-—
     Lec (6)
                   THE FAIRDEAL CORPORATION LTD., BOMBAY.
Hormones .
  Crude Liver Extract. --
    Vial of 10 cc. 2 U.S.P.
  Vial oc 30 oc.
    2 U.S.P.
Purified Liver Extract-
    Vial of 10 ec. 10 U.S.P.
    Vial of 30 ec. 10 U.S.P.
    Vial of 10 cc, 5 U.S.P.
Vitamiu Preparations =
  Minavitab
   Bottle of 20 Tablets.
    Bottle of 50 Tablets.
    Bottle of 1000 Tablets.
  Vitbin Inj. - 10 cc. 100 mg.
  Folic Acid, -- Bottle of 25 Tablets 5 mg.
  Foliferol-Bottle of 50 Tablets.
  Streptomycin-
    Vial of 1 gram
    Vial of 5 gram :
Penicillin.
    100,000 units.
    200,000 units.
    500,000 units
    1,000,000 units
    Permanent Metal Syringe Set with 5\times 1 cc. Cartridges Procaine. Box of 5\times 1 cc. Refill Cartridges procaine.
    Disposable Syringe Set with I co. Cartridges proceine.
    10 cc R. C. Vial Procaine.
    1 c . R.C. Vial Procame.
    Buffered Tablets, 12 Tabs. of 50,000 units each.
Buffered Tablets, 12 Tabs.of 100,000 units each.
Bi-Pen-5 dose vial each dose containing 300,000 units of Crystalline Processe Penicillin G. and 100,000 units of Potassium Penicillin Crystalline C.
Bi-Pen- Combination Package containing a single dose vial (300,000 units of Crystalline
    Proceine Penicillin and 100,0000 units of Potassium Penicillin Crytallice (3) with a lcc.vial
    of sterile water.
G and 100,000 units of Potassium Penicillin Crystalline G).
```

#### GLAXO LABORATORIES.

Adexolin (vitamins A & D)—
Capsules 25's.
Capsules 100's.
Capsules 1000's.
Liquid 14 cc.

Liquid 2 oz

```
Berin (Vitamin B1)-
      Tablets 3 mg. 25's
      Tall its 3 mg. 100's
      Tall its 3 mg. 1000's
      Tablete 5 mg. 25's
      Tablets 5 mg. 100's
      Tableta 5 mg. 1000's
      Tablets 10 mg. 25's.
Tablets 10 mg. 100's
      Tablets 10 mg, 1000's
      Ampules 25 nig. 0 \times 1 c.c.
      Ampules 50 mg. 6 \times 1 c.c. Solution 10 c.c. 25 mg. per c.c.
      Solution 10 e.e. 50 mg. per e.e.
      Solution 10 e.c. 100 mg. per c c.
Celin (Vitamin C)-
      Tablets 50 mg. 25's
      Tablets 50 mg. 100's
      Tablets 50 mg. 250's
      Tablets 50 mg. 1000's
      Tablets 100 mg. 25's
     Tablets 100 mg. 100's
Tablets 100 mg. 250's
      Tablets 100 mg. 1000's
      Ampules 100 mg. 6 \times 1 e.e.
      Ampules 500 mg, 3 \times 5 e.c.
 Dekadexolin (Vitamins A & D mjectible)-
      Ampules 6 \times 1 e.e.
Kap lin (Vitamin K analogue)—
     L'quid 14 c.c.
     Tablets 25's
     Ampules \theta \sim 1 e.c.
Ostelin (Vitamin D)-
      Liquid 14 c.c.
     Liquid 2 oz.
     Tablets 45's
'Osto'in (Vitamin D) Forto -
     Table 's 25' 4
     Tablets 100's
     Ampules 2 \times 1 e.e.
Ampules 6 \times 1 e.e.
Polonin (Nicotinic aci l) -
     Tableta 25's
     Tablats 100's
     Ampules 6 × 1 c.c.
Pelonia A mide (Nicotinamide)—
     Tablets 25's
     Tablets 100's
     Ampules 6 \times 1 c.e.
Pormi lin (Vitamin P)-
      Tablets 50's
Prepalin (Vi'amin A) -
     Liquid 8 c.c.
     Capaules 25's
     Ampules \mathbf{6} \times 1 e.c.
Viteolin (Vitamin E)-
     Capsules 25's
     Capsules 100's
Penicillin Crystalline .-
     Phiale 100,000 units
     Phiele 200,000 units
     Phiele 500,000 units
```

Phiels 1,000,000 units



#### Penicillin Free Ze-dried-

Phials 100,000 units.

Phials 200,000 units.

Phials 500,000 units.

Phials 1,000,000 units.

# Penicillin Calcium Salt—

Phiels 1,000,000 units.

# Septanilam (Sulphanilamide) --

Tablets 25's

Tablets 100's

Tableta 1,000's

## Streptomycin -

Phials I <sub>A</sub>m.

### Diphtheria Prophylactic-

Phials 3 c.c.

# Diphtheria/Portussis comvined Prophylactic --

Phiale 21 c.c.

Phials 5 c.c.

#### Whoeping Cough Vaccine-

Phials 5 c.c.

### Whooping Cough Forte Vaccine-

Phiale 3 c.c.

# Whooping Cough Prophylactic--

Phiale 5 c.c.

#### BRITISH SCHERING LID. LONDON.

# Albucid (Sulphacetamide) oral tablets-

Tube of  $20 \times 7\frac{1}{2}$  gr. Bot. of  $100 \times 7\frac{1}{2}$  gr. Bot. of  $500 \times 7\frac{1}{2}$  gr.

## PARKEDAVIS AND COMFANY.

#### Penicillin-

100,000 units.

200,000 units.

500,000 units.

1,000,000 units.

#### Penjoillin S-R-

1 dose.

5 dose.

# Dihydrostroptomycin-

1 gm.

# Chloromycetin 12s.-

0 · 25 gm. each.

# Sulfaguine.... Tablets 50's

Tablets 100's

#### Sulfanilamide-

Tableta 25'a

Tablets 100's

# Viber Solution (Thiamine Hydrochloride) --

20 mgm. per c.c.

### Vibex Solution (Thiamme Hydrochloride)--50 mgm. per c.c.

Viber Solution (Thismine Hydrochloride)-100 mgm. per c.c.

```
THE GAZETTE OF INDIA EXTRAORDINARY, OCT. 8, 1949
Vibex-
   Tablets 1 mgm. 25
   Tablete l mgm. 100
   Tablets 3 mgm. 25
   Tablets 3 mgm. 100
   Tablets 5 mgm. 25
   Tablets 5 mgm. 100
   Tablets 10 mgm. 25
   Tablets 10 mgm. 100
Diphtheria Antitoxin—
   2000 units.
   5000 units.
   8000 units.
Diphtheria Toxoid Alum Precipitated-
    1 c.c.
    10 c.c.
Tetanus Antitoxin—
    3,000 units.
    20,000 units.
                        THE UPJOHN COMPANY, U.S. A.
```

Penicillin G Crystalline—

100,000 units. 200,000 units. 500,000 unita. Penicillin Ointment -(Topical) I ounce. (Opthalmic) 1 drachm.

Depo-Penicillin (with disposable syringe)---I c.c. certridge.

Penicillín tablets-50,000 units 12's 100,000 units 12's

Streptomycin Sulfato 1 gram.

Dihydrostreptomycin 1 gram.

Sulfadiazine tablets 0.5 GM, 500's.

S.S. Ascorbic Acid-

100 mg, 25 imes 2 c.e. 500 mg. 25 × 5 c.c.  $1,000 \; \mathrm{mg}. \; 25 \; imes \; 10 \; \mathrm{c.c.}$ 

Riboflavin tablets 5 mg. (Vit B2) 100's.

Super A Vitamin Conc.-

Capsules 50's. Liquid 15 c.c.

Vitamin E Concentrate Caps. 50 mg. 50's Wheat Germ Oil Liquid, 10 c.c

C. T. Thiamate (Vitamin B1) 5 mg. 100's

S. S. Thiamate (Vitamin Bl) 10 mg. 6  $\times$  1 c.c.

S. S. Thiamate (Vitamin B1) 50 mg. 5 c.c.

S. Po. Thiamate (Vitamin BI) Sterile Pow-3 Grams

## CIBA PHARMA LIMITED

(Shazol Bottles of-20 tablots 100 tablets 250 tablets

# 675

#### ALLEN AND HANBURYS LTD.

```
Penicillin (Sodium Salt Coloured) ---
     I lac unit.
     2 lac unit.
     5 lac unit.
Penicillin (Crystalline G)—
     I lae unit,
     2 lac unit.
     5 lac unit.
     10 lac unit.
Ponjeillin Nonad Tulle-
     4'' \times 4'' (10 pieces). 72 " \times 4" (1 strip).
Penicillin Chewing Gum—
     6 pieces.
Penicillin Lozenges—-
20's.—500 I. U.
Penicillin Ointment—-
     Tubes -- 15 gm. 500 l. U. Ca. Salt.
Penicilla Eye Ointment-
     Tubes -- 5 gm. -- 1000 1. U. Ca. Salt.
Procaine Penicillin ...
     10 c.c. -3 lacs por c.c.
Anourin Hydrochloride (Vitamin B)- .
     Ampoules, 2 mg, in 1 c.c. --
           Box of 6 \times 1 c.c. ampoules.
     Ampoules, 5 mg, in 1 c.c.—
Box of 6 < 1 c.c. ampoules.
Angurin Hydrochloride (Vitamin B)-
      Ampoules, 25 mg, in 1 c.c.-
           Box of 3 \times 1 c.c. ampoules.
Box of 6 \times 1 c.c. ampoules.
           10 c.c. amps. 50 mg. în 1 c.c.
           10 c.c. amps. 100 mg. in 1 c.c.
Anourum Hydrochloride (Vitamin B1)-
     Tablets containing 1.5 mg. .
           Bottles of 25
           Bottles of 100
     Tablets containing 3 mg. --
           Bottles of 25
           Bottles of 100
Ascorbic Acid (Vitamin C)-
     Ampoulos-10 mg, in 2 c.c.--
           Box of 6 \times 2 c.c. amps
      Ampoules -.500 mg. in 5 e.e. -
           Box of 3 / 5 c.e. amps.
Tablets-
     50 \times 5 \text{ mg}.
     20 \times 25 \text{ mg}.
    100 \times 25 \text{ mg}.
     20 \times 50 \text{ mg}.
    100 \times 50 \text{ mg}.
Vitamin ' E '-
     ('apsules- 20's.
     Capsules- 40's.
Insulm A. B .-
     5 c.c. × 20 units.
    10 e.c. 	imes 20 units.
      8 e.e. × 40 units.
    10 c.c. \times 40 units.
     5 e.c. < 80 units.
```

```
Globii Insulin (with zinc) A. B. -
     5 e.e. 💉 40 unita.
     5 e.c. \times 80 umits.
Protamine Zinc Insulin A. B.—
     5 c.c. < 40 units.
     10 c.c. \times 40 units.
5 c.c. \times 80 units.
Sulphanamide Tablets-
     Bottles of 100-0.5 gm.
                           LILLY AND COMPANY OF INDIA, INC.
'Extralm' (Liver-Stomach Concentrate, Lilly). -
     Pulvules
'Extralin B' (Liver-Stomach Concentrate with vitamm B Complex, Lilly)-
     Pulvulos.
'Lextron' (Liver-Stomach Concentrate with Ferric Iron & Vitamin B Complex, Lilly)- -
     Pulvules.
'Lextrone Ferrous' (Liver-Stomach Concentrate with Ferrous Iron & Vitamin B Complex)-
     Pulvules.
Liver Extract Solution, Crude, Lilly, 2 injectable U.S.P., units per cc., 10-cc rubber-stoppored
     ampoules.
Liver Extract Solution, Crude, Lilly 2 injectable U.S.P., units per cc., 30-cc. rubber-stoppered
     ampoules.
Liver Extract, Lilly, Powder.
'Roticulogen' (Parenteral Liver Extract with Vitamin B1, Lilly). 0.5-cc, rubber-stoppered
     ampoules.-
'Roticulogen' (Parenteral Liver Extract with Vitamin Bl, Lilly), 5-cc rubber-stoppered
     ampoules.
'Duracillin, in Oil' (Crystalline, Proceine Penicillin-G, in Oil, Lilly), 300,000 units per ec.
     1-ce rubber stoppered ampoules.
     10 cc. rubber-stoppered ampoules.
'Duracillin, In Oil', (Crystalline Proazine Penicillin -G. Crystalline-Potassium, Lilly) Buffered for
     aquoons Injection, 400,000 units in 1-dose rubber-stoppored ampoules.
'Duracillin, in Oil', (Crystalline Procaine Penicillin-G, in Oil, Lilly), 300,000 units in 1-cc, eartridge
     with cartridge syrine (disposable type).
'Duracillin Fortified', (Procaine Ponicillin-G and Penicillin-G, Crystalline-Potassium, Lilly)
     2,000,000 units, in 5-dose, rubber-stoppered ampoules.
Penicillin-G, Crystalline-Potassium, 100,000 units, 20-cc rubber-stoppered ampoules. Penicillin-G, Crystalline-Potassium, 200,000 units, 20-cc rubber-stoppered ampoules.
Penicillin-G, Crystalline-Potassium, 20-ec rubber-stoppered ampoules—
     500,000 units.
     1,000,000 units.
Penicillin-G, Crystalline-Potassium, Buffered.
     50,000 units tablets.
     100,000 units tablets.
'Alpha-Deltalin' (Vitamins A and D, Lilly).
'Alphalin' (Vitamin A, Lilly) 10,000 units Gelscals.
'Alphalin' (Vitamin A, Lilly), 25,000 units Gelseals.
Becotin' (Vitarrin B Complex, Lilly) Pulvules.
'Becotin with Vitarrin C' (Vitarrin B Complex with Vitarrin C, Lilly) Pulvules.
Betalin Complex' (Vitamin B Complex, Lilly) 10-cc. rubber-stoppered ampoules. Betalin Complex' (Vitamin B Complex, Lilly) Elixir (17%).
'Betalin Corpound' (Vitamin B Complex, Lilly) Pulvules.
 Betalin S' (Thiamin Chloride, Lilly) 30 mg Thiamin Chloride per cc. 5-cc. rubber-stoppered
     ampoules.
Betalin S' (Thiamine Chloride, Lilly) 60 n g Thiamine Chloride per co. 5-cc. rubber-stoppered
     a npoules.
                                 Ditto
                                               100 mg.
                     Ditto
       Ditto
Betalin S' (Thiamin Chloride, Lilly) 100 n g Thiamin Chloride per cc. 30-cc. rubber-stoppered
     ampules.
Betalin S' (Thiamin Chloride, Lilly) Elixir (10%).
'Betalin S' (Thiamin Chloride, Lilly) (scored) Tablets
                                                           -5 ng
                                                          10 mg
```

12 mg 15 mg 25 mg 50 mg

```
CHIN
```

```
Calfoaron-D Pulvules.
   'Cevalin' (Ascorbic Acid, Lilly) 100 ng. 2-cc. ampoules. 'Cevalin' (Ascorbic Acid, Lilly) 500 mg. 5-cc. ampoules.
   'Covalin' (Ascorbic Acid, Lilly) (scored) tablets—
        25 mg.
        50 mg.
        100 mg.
        250 \mathrm{\ mg}
   'Deltalin' (Vitamin D, Lilly) 50,000 Units Galseals.
   'Dicalcium Phosphate with Vitamin D (scored) tablets.
  'Eprolin' (Distilled Tocopherols, Natural Type, Lilly), 50 mg. Gelseals.
  'Ferro Betalin' (Iron and Thiamin Chloride, Lilly) C. C. Tablets.
  Folic Acid, 5 mg. (scored) Tablets.
  Folic Acid, 15 mg. per cc. 10-cc. rubber-stoppered ampoules. 'Hepicebrin' (Vitamins A, B1, B2, C and D, Lilly) Gelseals.
  'Hoxa-Betalin' (Vitamin B6 Hydrochlorido, Lilly) 50 mg. per ec. 5-cc. rubber-stoppered a apoules. 'Homicebrin' (Nomogenized Vitamins A, B1, B2, C and D, Lilly) (5%).
  'Memadione (2-Methyl-Maphthoquimone) Tablets.
  'Mappadione' (Vitamin K Diphosphate, Lilly) 5 mg., 1-cc. Ampoules. 'Multicebrin' (Pan-Vitamins, Lilly) Gelseuls.
  Nicotinamide (Nicotimic Acid Amide), 100-mg. 2cc. ampoules.
  Nicotinamide (Nicotinic Acid Amide) 100-mg. per cc. 5-cc. rubber-stoppered a npoules.
  Nicotinamide (Nicotinio Acid Amide) 50 mg. tablets.
  Nicotinie Acid, 100 mg, in 10-ec. ampoules.
  Nicotinic Acid, 10 mg. per ce. 10-cc. rubbec-stoppered ampoules.
  Nicotinic Acid, 50 n.g. tablets.
  Riboflavin, 1 mg. Tablets.
Riboflavin, 5 mg. Tablets.
Riboflavin and Nicotinamide, 1-cc. ampoules.
  Progesterone, 2 mg., in Oil, 1 cc. ampoules.
  Protamine Zinc Insulin, Lilly.
       In 10-cc. vials only, 40 units per cc.
In 10-cc. vials only, 80 units per cc.
  Hetin (Insulin, Lilly).
       Twenty units per cc. in 5-cc. vials (100 units).
       Twenty units per cc. in 10-cc. vials (200 units).
       Forty units per cc. in 5-cc. vials (200 units).
       Forty units per cc. in 10-cc. vials (400 units).
      Eighty units per cc. in 10-cc, vials (800 units).
 Diphtheria Prophylatic and Tetanus Taxoid Alum Precipitated, Co nbined with whooping Cough
 Vaccine. One 2-cc. vial (1 i mnunization).
Dihydrostrepto nycin Sulfate, 20-cc. rubber stoppered ampoules per ampoule.
                             IMPERIAL CHEMICAL INDUSTRIES (INDIA) LTD.
 Paludrine Hydrochloride
      0.3 gm. Containers of 62 strips of 8 tablets each i.e. (498 tablets).
      0.3 gm. 500 tablet tins.
 "Avloprocil" Brand of Procaine-Pencillus. Oily Injection (300'000 I. U. Pencillin and 129 n gm. Procaine base per cc.).
      Vials of 10 cc. Single, and in contamers of 5 vials.
 Penwillin Sodium Salt (Coloured)—
      1.0 m. u. viala.
Crystelline Penicillin (Potassium Salt) with Sterilized Sulphamezathine.—
      Bottles of 25 grammes.
Penicillin Crystalline (White)---'Avlon' brand---(Available either as the otassium or Sodium
      Salt).
      Vials of 0 ·1 mega unit:
        Singly, and in containers of 10 vials.
      Vials of 0.2 mega unit:
        Singly, and in containers of 10 vials.
      Vials of 0.5 mega unit:
        Singly, and in containers of 10 vials.
      Vials of 1.0 mega unit:
        Singly, and in containers of 10 vials.
Penicillin Preparations: Oily Injection of Penicillin B. P.—'Avlon' bran l.—
      (125,000 1. U. per cc.)
      Vials of 10 cc.:
        Singly, and in containers of 10 vials.
```

```
Crystelline Penicillin (Potassium Salt) Suspension in Oil-'Avlon' brand --
    (300,000 I. U. per co.)
    Vials of 10 ce:
       Singly, and in containers of 10 vials.
Penicillin Eye Ointment B. P .-
    Tubes of 5 grammes.
Ointment of Ponicillin-
    Tubes of 25 grammes.
Penicillin Lozenges-
    Containers of 25.
Sulphaguanidino Tablets 0.5 Cm.
    Containers of 25,
    Containers of 100.
    Containers of 500.
Sulphamezathine brand of Sulphadimidine — Tablets of 0-5 Cm —
    Containers of 25.
    Containers of 100.
    Containers of 500.
Sulphanilamido Tablets 0.5 Cm.--
    Containers of 25.
    Containers of 100
    Containers of 1000.
                         MAY AND BAKER (INDIA) LTD.
'Gonazole' Brand Sulphathiazole with Proflevine Monohydrochloride—
  Tablete:
    Containers of:
         25 \times 0.50 Gramme.
          100 \times 0.50 Gramme.
         500 \times 0.50 Gramme.
'M & B 693' Brand Sulphapyridme Tablets Children-
    Con tainers of :
         25 \times 0.125 Gramme.
  Tablets---Adults-
    Containers of :
          25 \times 0.50 gramme.
          100 \times 0.50 gramme.
          500 \times 0.50 gremme.
Nicotinamide—M & B-
  Tablets:
    Containers of:
         25 \times 50 mgm.
         100 \times 50 \text{ mgm}.
         500 \times 50 mgm.
    Solution:
       Boxes of :
         6 \times 1 cc. ampoules.
         25 \times 1 ce, ampoules.
         (each co. contains 50 mgm. of Nicotinamide).
Nuotibie Acid-M & B.-
  Tablets:
     Contamers of:
          25 🔻 50 mgm.
          100 × 50 mgm.
          500 \times 50 \text{ mgm}
Peniculin Eye Ointment M & B .-
     Tubes of 5 Gm. (Each Gm. contains 1,000 I. U. of calcium penicillin).
Penicillin Lozenges—M & B.-
     Containers of 20 (Each lozenge contains calcium penicillin 500 I. U.).
Penicillin Ointment—M & B.-
     Tubes of 1 oz. (each Gm. contains 500 I. U. of calcium penicillin).
 Planavit Bl' Brand Aneurine hydrochloride-
     Tablete:
       Containers of:
          25 × 1 mgm. tablets.
          25 \times 3 mgm. tablete.
          25 \times 5 mgm, tablets.
     Solution:
       Boxes of:
        6 \times 1 c.c. (10 mgm.) amp. 25 × 1 c.c. (10 mgm.) amp. 6 × 1 c.c. (25 mgm.) amp.
```

```
25 \times 1 e.e. (25 mgm.) amp.
           6 \times 1 c.c. (50 mgm.) amp.
 25 × 1 e.c. (50 mgm.) amp.
'Planavit C' Brand Asorbic Acid—
      Tablets
        Containers of:
           25 \times 0.05 gramme.
          100 \times 0 05 gramme.
          500 \times 0.05 gramme.
 'Proseptasine' Brand Benzyl Sulphanilamide-
      Tablots:
        Containers of:
          25 \times 0 50 gramme.
          500 \times 0.50 gramme.
         100 \times 0.50 gramme.
 Succinyl-Sulphathiazole-M & B .-
      Tablets:
        Containers of:
          100\times0.50 gramme. 500\times0.50 gramme.
 Sulphadiazme—M & B.-
      Tablets:
        Conta ners of:
          25 \times 0.50 gramme.
         500 \times 0.50 gramme.
         100 \times 0 50 gramme.
 Powder (unsterilized)-
     Containers of :
        100 grammos,
 Sulphaguanidme-H & B.-
     Tablots:
       Containers of:
          25 \times 0.50 gramme.
         500 \times 0.50 \text{ gramme.}
Sulphamorazine - M & B. -
     Tablets:
        Containers of:
          25 \times 0.50 gramme.
        100 \times 0.50 gramme.
        500 \times 0.50 gramme.
Sulphanilamide—M & B.--
     Tablets:
       Containers of:
          25 \times 0.50 gramme.
        100 < 0.50 gramme.
        500 \times 0.50 gramme.
'Sulphatriad' Brand Compound Sulphonamide Tablet-
     Tablets:
       Containers of:
          25 \times 0.50 gramme.
        100 \times 0.50 gramme.
        500 \times 0 50 gramme.
       (Each tablet contains:
         Sulphathiazole 0.185 gramme.
         Sulphadiazino 0 · 185 gramme.
         Sulphamerezine 0 130 gramme.)
Thalazole' Brand Phythalylsulphathiazole—
     Tablets:
       Containers of:
         25 \times 0.50 gramme.
        100 \times 0.50 gramme.
        500 \times 0.50 gramme.
'Thiazami le' Brand Sulphathiazole (Introduced as M & B 760)-
    Tablets:
       Containers of:
         25 × 0·50 gramme.
        100 \times 0.50 gramme.
        500 \times 0 50 gramme.
```

Published by the Manager of Publications, Delhi, India Printed by the Manager, Government of India Press, New Delhi, India